

QUALITY CARE FOR OLDER PEOPLE WITH URGENT & EMERGENCY CARE NEEDS

References



References

1. Blunt I, Bardsley M, Dixon J. Trends in emergency admissions in England 2004 - 2009: is greater efficiency breeding inefficiency? London: Nuffield Trust, 2010.
2. Ombudsman HS. Care and compassion? Report of the Health Service Ombudsman on ten investigations into NHS care of older people. In: Department of Health, editor. London, 2011.
3. Society RUotRCoPatBG. Geriatric day hospitals: their role and guidelines for good practice. London: Royal College of Physicians, 1994.
4. Royal College of Physicians. Acute care toolkit 2. High-quality acute care. London: Royal College of Physicians, 2011.
5. Royal College of Physicians. Care of medical patients out of hours - RCP position statement. London: Royal College of Physicians, 2010.
6. National Institute for Health and Clinical Excellence. Recognition of and response to acute illness in adults in hospital. Concise Guidance 50. London, 2007.
7. Anon. Managing Urgent Mental Health Needs in the Acute Trust: A guide by practitioners, for managers and commissioners in England and Wales: Academy of Medical Royal Colleges, 2008.
8. Mannesse CK, Derkx FH, de Ridder MA, Man in 't Veld AJ, van der Cammen TJ. Contribution of adverse drug reactions to hospital admission of older patients. *Age and Ageing* 2000;29(1):35-39.
9. Gallagher P, Baeyens J-P, Topinkova E, Madlova P, Cherubini A, Gasperini B, et al. Inter-rater reliability of STOPP (Screening Tool of Older Persons' Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment) criteria amongst physicians in six European countries. *Age and Ageing* 2009;38(5):603-06.
10. Conroy S, P F, Fraser A, Schiff R. Advance care planning: concise evidence-based guidelines. In: Turner-Stokes L, editor. Concise Guidance to Good Practice series. London: Royal College of Physicians of London, 2009.
11. British Medical Association. QOF Quality and Productivity (QP) Accident and Emergency Indicators. In: Association BM, editor. London, 2011.
12. Primary Care Foundation. Urgent Care in Primary Care, 2009.
13. HESonline. Hospital Episode Statistics. Headline Figures, 2007-08. London: The Information Centre for Health and Social Care, 2009.
14. Bankart MJ, Baker R, Rashid A, Habiba M, Banerjee J, Hsu R, et al. Characteristics of general practices associated with emergency admission rates to hospital: a cross-sectional study. *Emerg Med J* 2011.
15. Baker R, Bankart MJ, Rashid A, Banerjee J, Conroy S, Habiba M, et al. Characteristics of general practices associated with emergency-department attendance rates: a cross-sectional study. *BMJ Quality & Safety* 2011.
16. Sager MA, Franke T, Inouye SK, Landefeld CS, Morgan TM, Rudberg MA, et al. Functional Outcomes of Acute Medical Illness and Hospitalization in Older Persons. *Arch Intern Med* 1996;156(6):645-52.
17. Woodard J, Gladman J, Conroy S. Frail older people at the interface. *Age Ageing* 2010;39(S1):i36.

18. Caplan G. Meta-analysis of hospital in the home (HITH): the effect of substituting care at home for care in hospital. *The Journal of Nutrition, Health & Aging* 2009;13(1):SD7 145-2.
19. Gravelle H, Dusheiko M, Sheaff R, Sargent P, Boaden R, Pickard S, et al. Impact of case management (Evercare) on frail elderly patients: controlled before and after analysis of quantitative outcome data.[see comment]. *BMJ* 2007;334(7583):31.
20. Phelan EA, Balderson B, Levine M, Erro JH, Jordan L, Grothaus L, et al. Delivering effective primary care to older adults: a randomized, controlled trial of the senior resource team at group health cooperative. *Journal of the American Geriatrics Society* 2007;55(11):1748-56.
21. Rubenstein LZ, Alessi CA, Josephson KR, Trinidad Hoyl M, Harker JO, Pietruszka FM. A randomized trial of a screening, case finding, and referral system for older veterans in primary care. *Journal of the American Geriatrics Society* 2007;55(2):166-74.
22. Steven RC, Christopher MC, Wanzhu T, Timothy ES, Gregory WA. Cost Analysis of the Geriatric Resources for Assessment and Care of Elders Care Management Intervention. *Journal of the American Geriatrics Society* 2009;57(8):1420-26.
23. Fletcher P. Will undergraduate geriatric medicine survive? *Age & Ageing* 2007(36):358-60.
24. Morris J, Beaumont D, Oliver D. Decent health care for older people. *BMJ* 2006;332(7551):1166-68.
25. Oliver D. Age based discrimination in health and social care services. *BMJ* 2009;339(aug25_1):b3400-.
26. Oliver D. Geriatric syndromes continue to be poorly managed and recognised. *BMJ* 2008;337(jul22_1):a892-.
27. Conroy S, Stephens T, Gladman J. The acute community - hospital interface: a mapping review. 2010(6).
28. Johri M, Beland F, Bergman H. International experiments in integrated care for the elderly: A synthesis of the evidence. *International Journal of Geriatric Psychiatry* 2003(18):222-35.
29. Haggerty JL, Reid RJ, Freeman GK, Starfield BH, Adair CE, McKendry R. Continuity of care: a multidisciplinary review. *BMJ* 2003;327(7425):1219-21.
30. Crilly J, Chaboyer W. Continuity of care for acutely unwell older adults from nursing homes. *Scandinavian Journal of Caring Sciences* 2006(20):122-34.
31. Courtney M, Tong S, Walsh A. Acute-care nurses' attitudes towards older patients: A literature review. . *International Journal of Nursing Practice* 2000(6):62-69.
32. McCormack B. Person-centredness in gerontological nursing: an overview of the literature. *Journal of Clinical Nursing* 2004(13):31-38.
33. Beswick AD, Rees K, Dieppe P, Ayis S, Gooberman-Hill R, Horwood J, et al. Complex interventions to improve physical function and maintain independent living in elderly people: a systematic review and meta-analysis.[see comment]. *Lancet* 2008;371(9614):725-35.
34. Baztan JJ, Suarez-Garcia FM, Lopez-Arrieta J, Rodriguez-Manas L, Rodriguez-Artalejo F. Effectiveness of acute geriatric units on functional decline, living at home, and case fatality among older patients admitted to hospital for acute medical disorders: meta-analysis. *BMJ* 2009;338(jan22_2):b50-.
35. Shepperd S, Doll H, Broad J, Gladman J, Iliffe S, Langhorne P, et al. Early discharge hospital at home. *Cochrane Database of Systematic Reviews* Issue 1, 2009.

36. Shepperd S, Doll H, Angus R, Clarke M, Iliffe S, Kalra L, et al. Admission avoidance hospital at home. *Cochrane Database of Systematic Reviews Issue 4*, 2008.
37. Ward D, Drahota A, Gal D, Severs M, Dean T. Care home versus hospital and own home environments for rehabilitation of older people. *Cochrane Database of Systematic Reviews Issue 4*, 2008.
38. Smith S, Allwright S, O'Dowd T. Effectiveness of shared care across the interface between primary and specialty care in chronic disease management. *Cochrane Database of Systematic Reviews Issue 3*, 2007.
39. Chang JT, Morton SC, Rubenstein LZ, Mojica WA, Maglione M, Suttrop MJ, et al. Interventions for the prevention of falls in older adults: systematic review and meta-analysis of randomised clinical trials. *BMJ* 2004;328(7441):680-.
40. Stuck AE, Siu AL, Wieland GD, Rubenstein LZ, Adams J. Comprehensive geriatric assessment: a meta-analysis of controlled trials. *The Lancet* 1993;342(8878):1032-36.
41. Ellis G, Langhorne P. Comprehensive geriatric assessment for older hospital patients. *Br Med Bull* 2005;71(1):45-59.
42. Ali W, Rasmussen P. What is the evidence for the effectiveness of managing the hospital / community interface for older people? *New Zealand Health Technology Assessment report* 2004;7(1).
43. Ellis G, Whitehead M, O'Neill D, Robinson D, Langhorne P. Comprehensive geriatric assessment for older adults admitted to hospital. . *Cochrane Library: Cochrane collaboration*, 2011.
44. Campbell A, Robertson M. Randomised controlled trial of a general practice program of home based exercise to prevent falls in elderly women. *British Medical Journal* 1997(315):1065-9.
45. Shepperd S, Parkes J, McClaran J, Phillips C. Discharge planning from hospital to home. *The Cochrane Database of Systematic Reviews*. *Cochrane Database of Systematic Reviews* 2004;1(CD000313.pub2).
46. Heath H, Sturdy D, Cheesly A. Discharge planning: A summary of the Department of Health's guidance Ready to go? Planning the discharge and the transfer of patients from hospital and intermediate care. Harrow: *RCN Publishing Company Ltd*, 2010.
47. Beswick AD, Rees K, Dieppe P, Ayis S, Gooberman-Hill R, Horwood J, et al. Complex interventions to improve physical function and maintain independent living in elderly people: a systematic review and meta-analysis. *The Lancet* 2008;371(9614):725-35.
48. Department of Social Services. *Community Care Statistics: Social Services Activity, England 2009-10*, 2011.
49. Zermansky AG, Alldred DP, Petty DR, Raynor DK, Freemantle N, Eastaugh J, et al. Clinical medication review by a pharmacist of elderly people living in care homes--randomised controlled trial. *Age Ageing* 2006;35(6):586-91.
50. Logan PA, Coupland CAC, Gladman JRF, Sahota O, Stoner-Hobbs V, Robertson K, et al. Community falls prevention for people who call an emergency ambulance after a fall: randomised controlled trial. *BMJ* 2010;340.
51. Mason S, Knowles E, Colwell B, Dixon S, Wardrope J, Gorringer R, et al. Effectiveness of paramedic practitioners in attending 999 calls from elderly people in the community: cluster randomised controlled trial. *BMJ* 2007.

52. Davison J, Bond J, Dawson P, Steen IN, Kenny RA. Patients with recurrent falls attending Accident & Emergency benefit from multifactorial intervention--a randomised controlled trial.[see comment]. *Age & Ageing* 2005;34(2):162-8.
53. Close J, Ellis M, Hooper R, Glucksman E, Jackson S, Swift C. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. *Lancet* 1999(353):93-7.
54. McCusker J, Dendukuri N, Tousignant P, Verdon J, Poulin de Courval L, Belzile E. Rapid two-stage emergency department intervention for seniors: impact on continuity of care.[see comment]. *Academic Emergency Medicine* 2003;10(3):233-43.
55. Mion LC, Palmer RM, Meldon SW, Bass DM, Singer ME, Payne SMC, et al. Case finding and referral model for emergency department elders: a randomized clinical trial.[see comment]. *Annals of Emergency Medicine* 2003;41(1):57-68.
56. Caplan GA, Williams AJ, Daly B, Abraham K. A randomized, controlled trial of comprehensive geriatric assessment and multidisciplinary intervention after discharge of elderly from the emergency department--the DEED II study. *Journal of the American Geriatrics Society* 2004;52(9):1417-23.
57. Conroy SP, Stevens T, Parker SG, Gladman JRF. A systematic review of comprehensive geriatric assessment to improve outcomes for frail older people being rapidly discharged from acute hospital: 'interface geriatrics'. *Age and Ageing* 2011;40(4):436-43.
58. Silverstein N, Maslow K. *Improving Hospital Care For patients with Dementia*. New York: Springer Publishing Company, 2006.
59. Benson S. *The Use of Colour in Dementia Specific Design*. *Journal of Dementia Care* 2002.
60. Acute Medicine Task Force. *Acute medical care: The right person, in the right setting – first time*. London: Royal College of Physicians, 2007.
61. Conroy S, Cooper N. *Acute medical care of elderly people*. London: British Geriatrics Society, 2010.
62. British Geriatrics Society. *Acute Medical Care of Elderly People*. In: Society BG, editor. London, 2010.
63. Harari D, Martin FC, BATTERY A, O'Neill S, Hopper A. The older persons' assessment and liaison team 'OPAL': evaluation of comprehensive geriatric assessment in acute medical inpatients. *Age Ageing* 2007(6):670-75.
64. Partnership CsI. *Reviews of Community hospital/Intermediate care provision: Good practice guide*. In: Care DoHaS, editor. London, 2008.
65. Department of Health. *Our health, our care, our say: a new direction for community services*, 2006.
66. Groarke JD, Gallagher J, Stack J, Aftab A, Dwyer C, McGovern R, et al. Use of an admission early warning score to predict patient morbidity and mortality and treatment success. *Emergency Medicine Journal* 2008;25(12):803-6.
67. Burch VC, Tarr G, Morroni C. Modified early warning score predicts the need for hospital admission and inhospital mortality. *Emergency Medicine Journal* 2008;25(10):674-8.
68. Gardner-Thorpe J, Love N, Wrightson J, Walsh S, Keeling N. The value of Modified Early Warning Score (MEWS) in surgical in-patients: a prospective observational study. *Annals of the Royal College of Surgeons of England* 2006;88(6):571-5.

69. Paterson R, MacLeod DC, Thetford D, Beattie A, Graham C, Lam S, et al. Prediction of in-hospital mortality and length of stay using an early warning scoring system: clinical audit.[see comment]. *Clinical Medicine* 2006;6(3):281-4.
70. Frost P. In response to 'Effect of introducing the Modified Early Warning score on clinical outcomes, cardio-pulmonary arrests and intensive care utilisation in acute medical admissions', Subbe CP et al., *Anaesthesia* 2003; 58: 797-802.[comment]. *Anaesthesia* 2003;58(11):1154.
71. Subbe CP, Kruger M, Rutherford P, Gemmel L. Validation of a modified Early Warning Score in medical admissions.[see comment]. *Qjm* 2001;94(10):521-6.
72. Cei M, Bartolomei C, Mumoli N. In-hospital mortality and morbidity of elderly medical patients can be predicted at admission by the Modified Early Warning Score: a prospective study. *International Journal of Clinical Practice* 2009;63(4):591-5.
73. Sampson E, Blanchard M, Jones L, Tookman A, King M. Dementia in the acute hospital: a prospective cohort study of prevalence & mortality. *British Journal of Psychiatry* 2009(195):61-6.
74. Lang et al. Early Markers of Prolonged Hospital stays in demented inpatients: A Multicentre and Prospective study. *Journal Of American Geriatrics Society* 2006:141-47.
75. Psychiatrists RCo. Who Cares Wins: Improving the outcome for older people admitted to the general hospital. 2005.
76. National Institute for Health & Clinical Excellence. Delirium: diagnosis, prevention & management.: NICE Clinical Guideline Centre, 2010.
77. Swain et al. Cognitive assessment in elderly patients admitted to hospital. Relationship between shortened version of AMT and the AMT and MMSE. *Clinical Rehabilitation* 2000:608-10.
78. National Institute for Health & Clinical Excellence & Social Care Institute for Excellence. Dementia: supporting people with dementia & their carers in health & social care: National Collaborating Centre for Mental Health, 2006.
79. Young J, Inouye S. Delirium in older people. *BMJ* 2007(334):842-6.
80. Elie M, Rousseau F, Cole M, Primeau F, McCusker J, Bellavance F. Prevalence & detection of delirium in elderly emergency department patients. *Canadian Medical Association Journal* 2000(163):977-81.
81. Cole M, You Y, McCusker J, Ciampi A, Belzile E. The 6 & 12 months outcome of older medical inpatients who recover from delirium. *International Journal of Geriatric Psychiatry* 2008(23):301-7.
82. Han J, Wilson A, Wesley E. Delirium in the Older Emergency Department Patient: A Quiet Epidemic. *Emerg Med Clin N Am* 2010(28):611-31.
83. Han et al. Delirium in Older Emergency Department Patients: Recognition, Risk Factors, and Psychomotor Subtypes. *Academic Emergency Medicine* 2011(18):451-57.
84. Rinaldi P, Mecocci P, Benedetti C, Ercolani S, Bregnocchi M, Menculini G, et al. Validation of the Five-Item Geriatric Depression Scale in Elderly Subjects in Three Different Settings. *Journal of the American Geriatrics Society* 2003;51(5):694-98.
85. Horrocks J, Price S, House A, Owens D. Self-injury attendances in the accident and emergency department: Clinical database study. *British Journal of Psychiatry* 2003;183(1):34-39.

86. Dennis MS, Wakefield P, Molloy C, Andrews H, Friedman T, Dennis MS, et al. A study of self-harm in older people: mental disorder, social factors and motives. *Aging & Mental Health* 2007;11(5):520-5.
87. Hawton K, Harriss L, Hawton K, Harriss L. Deliberate self-harm in people aged 60 years and over: characteristics and outcome of a 20-year cohort. *International Journal of Geriatric Psychiatry* 2006;21(6):572-81.
88. Marriott R, Horrocks J, House A, Owens D, Marriott R, Horrocks J, et al. Assessment and management of self-harm in older adults attending accident and emergency: a comparative cross-sectional study. *International Journal of Geriatric Psychiatry* 2003;18(7):645-52.
89. Psychiatrists RCo. Who Cares Wins: Improving the outcome for older people admitted to the general hospital. Leeds Royal College of Psychiatrists, 2005.
90. NICE. Clinical Guideline 16: Self-harm: the short-term physical and psychological management and secondary prevention of self-harm in primary and secondary care, 2004.
91. American Geriatrics Society, British Geriatrics Society. AGS/BGS Clinical Practice Guideline: Prevention of Falls in Older Persons, 2010.
92. National Institute of Clinical Excellence. Falls: the assessment and prevention of falls in older people: NICE, 2004.
93. National Institute of Clinical Excellence. Clinical Guideline 109: transient loss of consciousness in adults and young people. London, 2010.
94. Campbell A, Robertson M, Gardner M. Psychotropic medication withdrawal and a home-based exercise program to prevent falls: A randomized controlled trial. *J Am Geriatr Soc* 1999(39):142-48.
95. Close J, Ellis M, Hooper R, Glucksman E, Jackson S, Swift C. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. *Lancet* 1999 Jan 9; 353(9147): 93-7 (33 ref).
96. Podsiadlo DA RS. The timed up and go: a test of basic functional mobility for frail elder persons. *Journal of the American Geriatrics Society* 1991(39):142-48.
97. Pirmohamed M, James S, Meakin S, Green C, Scott AK, Walley TJ, et al. Adverse drug reactions as cause of admission to hospital: prospective analysis of 18 820 patients. *BMJ* 2004;329(7456):15-19.
98. Beijer H, de Blaey C. Hospitalisations caused by adverse drug reactions (ADR): a meta-analysis of observational studies. *Pharm World Sci* 2002(24):46-54.
99. Barry PJ, Gallagher P, Ryan C, O'mahony D. START (screening tool to alert doctors to the right treatment)—an evidence-based screening tool to detect prescribing omissions in elderly patients. *Age and Ageing* 2007;36(6):632-38.
100. Spinewine A, Schmader KE, Barber N, Hughes C, Lapane KL, Swine C, et al. Appropriate prescribing in elderly people: how well can it be measured and optimised? *The Lancet*;370(9582):173-84.
101. Spinewine A, Swine C, Dhillon S. Effect of a collaborative approach on the quality of prescribing for geriatric in-patients: a randomised, controlled trial. *J Am Geriatr Soc* 2007(55):658-65.
102. Lindley C, Tully M, Paramsothy V. Inappropriate medication is a major cause of adverse drug reactions in elderly patients. *Age and Ageing* 1992;21 (4):294-30.

103. Gurwitz J, Field T, Avorn J, McCormick D, Jain S, Eckler M, et al. Incidence and preventability of adverse drug events in nursing homes. *Am J Med* 2000(209):87-94.
104. Laroche M, Charmes J, Merle L. Potentially inappropriate medications in the elderly: a French consensus panel list. *Eur J Clin Pharmacol* 2007(63):725-31.
105. Lazarou J, Pomeranz B, Corey P. Incidence of adverse drug reactions in hospitalised patients: a meta-analysis of prospective studies. *JAMA* 1998;279 (15):1200-5.
106. Mangoni A, Jackson S. Age-related changes in pharmacokinetics and pharmacodynamics: basic principles and practical applications. *Br J Clin Pharmacol* 2003(57):6-14.
107. Lee P, Alexander K, Hammill B, Pasquali S, Peterson E. Representation of Elderly Persons and Women in Published Randomized Trials of Acute Coronary Syndromes. *JAMA* 2001;286(6):708-13.
108. Tangiisuran B, Wright J. Adverse drug reactions in elderly: challenges in identification and improving preventative strategies. *Age and Ageing* 2009(38):358-59.
109. Beers MH. Explicit criteria for determining potentially inappropriate medication use by the elderly. An update. *Arch Intern Med* 1997(157):1531-36.
110. Gallagher P, Ryan C, Byrne S, Kennedy J, O'Mahony D. STOPP (Screening Tool of Older Person's Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus validation. *Int J Clin Pharmacol Ther* 2008 46(2):72-83.
111. <http://clinicaltrials.gov/ct2/show/NCT00915824> & http://www.bgs.org.uk/powerpoint/aut10/Mahony_inappropriate_prescribing.pdf
112. National Confidential Enquiry into Patient Outcome and Death. *An Age Old Problem: A review of the care received by elderly patients undergoing surgery*. London, 2010.
113. Royal College of Physicians BGSaBPS. *The assessment of pain in older people: national guidelines*. Concise guidance to good practice series 2007(8).
114. Stevenson KB, Moore JW, Sleeper B. Validity of the Minimum Data Set in Identifying Urinary Tract Infections in Residents of Long-Term Care Facilities. *Journal of the American Geriatrics Society* 2004;52(5):707-11.
115. SIGN. *Management of suspected bacterial urinary tract infection in adults*. A national clinical guideline, 2006.
116. Juthani-Mehta M, Quagliarello V, Perrelli E, Towle V, Van Ness PH, Tinetti M, et al. Clinical features to identify urinary tract infection in nursing home residents: a cohort study. *Journal of the American Geriatrics Society* 2009;57(6):963-70.
117. Cormican M, Murphy A, Vellinga A. Interpreting asymptomatic bacteriuria. *British Medical Journal* 2011;343(d4780).
118. Beier MT. Management of Urinary tract infections in the nursing home elderly: a proposed algorithmic approach. *International Journal of Antimicrobial Agents* 1999;11(3-4):275-84.
119. Russell C, Elia M. *Nutrition Screening Survey in the UK in 2008*. British Association for Parental and Enteral Nutrition 2009.
120. The Eastern Association for the Surgery of Trauma. *The EAST practice management guidelines workshop: Practice management guidelines for geriatric trauma*., 2001.
121. Department of Health. *End of Life Care Strategy. Promoting high quality care for all adults at the end of life*. London: Department of Health, 2008.

122. National End of Life Care Programme. Supporting people to live and die well. A framework for social care at the end of life. London: Department of health, 2010.
123. Brook RH, Kamberg CJ, Mayer-Oakes A, Beers MH, Raube K, Steiner A. Appropriateness of acute medical care for the elderly: an analysis of the literature. *Health Policy* 1990;14(3):225-42.
124. NHS End of Life Care Programme. Advance Care Planning: A Guide for Health and Social Care Staff. London, 2007.
125. Conroy S, Fade P, Fraser A, Schiff R. Advance care planning: concise evidence-based guidelines. In: Turner-Stokes L, editor. Concise Guidance to Good Practice series. London: RCP, 2009.
126. Conroy S. Advance Care Planning for older people. In: Lobo B, Thomas K, editors. Advance Care Planning in End of Life Care: Oxford University Press, 2010.
127. Close J, Ellis M, Hooper R, Glucksman E, Jackson S, Swift C. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial.[see comment]. *Lancet* 1999;353(9147):93-7.
128. Heath H, Sturdy D, Cheesly A. Discharge planning: A summary of the Department of Health's guidance Ready to go? Planning the discharge and the transfer of patients from hospital and intermediate care. Harrow: RCN Publishing Company Ltd., 2010.
129. Cooper C, Selwood A, Livingston G. The prevalence of elder abuse and neglect: a systematic review. *Age Ageing* 2008(37):151-60.
130. O'Keefe M, Hills A, Doyle M et al. UK study of abuse and neglect of older people prevalence survey report.: Comic Relief & Dept of Health, 2007.
131. Department for Constitutional Affairs. Mental Capacity Act 2005 Code of Practice: The Stationery Office, 2007.
132. Department for Constitutional Affairs. Mental Capacity Act. London, 2005.
133. Lally F, Crome P. Undergraduate training in geriatric medicine: getting it right. *Age Ageing* 2007;36(4):366-8.
134. Anonymous. The Older Person in the Accident & Emergency Department London: British Geriatrics Society, 2008.
135. Department of Health. Urgent care pathways for older people with complex needs. London: Department of Health, 2007.
136. Department of Health. Essence of Care Benchmarks for Respect and Dignity, 2010
137. Runciman P, Currie C, Nicol M, Green L, McKay V. Discharge of elderly people from an accident and emergency department: evaluation of health visitor follow-up. *Journal of Advanced Nursing* 1996(24):711-18.
138. Castro J, Anderson M, Hanson K, Helms L. Home care referral after emergency department discharge. *Journal of Emergency Nursing* 1998(24):127-32.
139. Lee V, Wong T, Lau C. Home accidents in elderly patients presenting to an emergency department. *Accident and Emergency Nursing* 1999(7):96-102.
140. Rabiee P, Glendinning C. The organisation and content of home care reablement services. York: University of York: Social Policy Research Unit., 2010.
141. Glendinning C, Newbrunner E. The effectiveness of home care reablement; developing the evidence base. *Journal of Integrated Care* 2008;16(4):32-39.

142. Department of Health. Taking Healthcare to the Patient: Transforming the NHS Ambulance Services, 2005.
143. Joint Royal Colleges Ambulance Liaison Committee, editor. Clinical Practice Guidelines for use in UK Ambulance Services. London, 2006.
144. Health Professions Council. Standards of Education and Training. London, 2009.
145. College of Paramedics. Curriculum Guidance and Competence Framework for Paramedics. 2006.
146. Fernandez L, Byard D, Lin C, Benson S, Barbera J. Frail elderly as disaster victims: emergency management strategies. *Pre Hospital Disaster Medicine* 2002;17(2):67-74.
147. Vandentorren S, Bretin Z, Mandereau -Bruno L. August 2003 Heat Wave in France: Risk Factors for Death of Elderly People Living at Home. *European Journal of Public Health* 2006;16(6):583-89.
148. Kovats R, Johnson H, Griffiths C. Mortality in southern England during the 2003 heat wave by place of death. 2006.
149. Gladman J, Harwood R, Conroy S, On behalf of the Medical Crises In Older People Study Group. Days at home: an outcome measure in studies of specialist services providing care for older people. *Medical Crises in Older People. Discussion paper series*. Nottingham: University of Nottingham, 2010.
150. Gallagher P, O'Mahony D. STOPP (Screening Tool of Older Persons' potentially inappropriate Prescriptions): application to acutely ill elderly patients and comparison with Beers' criteria. *Age Ageing* 2008;37(6):673-79.
151. McCusker J BF, Cardin S, Trepanier S, Verdon J, Ardman O,. Detection of older people at increased risk of adverse health outcomes after an emergency visit: the ISAR screening tool. *Journal of the American Geriatrics Society* 1999;47(10).
152. Dendukuri N, McCusker J, Belzile E. The identification of seniors at risk screening tool: further evidence of concurrent and predictive validity. *Journal of the American Geriatrics Society* 2004;52(2):290-6.
153. McCusker J, Verdon J, Tousignant P, de Courval LP, Dendukuri N, Belzile E. Rapid emergency department intervention for older people reduces risk of functional decline: results of a multicenter randomized trial.[see comment]. *Journal of the American Geriatrics Society* 2001;49(10):1272-81.
154. McCusker J, Bellavance F, Cardin S, Belzile E, Verdon J. Prediction of hospital utilization among elderly patients during the 6 months after an emergency department visit. *Annals of Emergency Medicine* 2000;36(5):438-45.
155. McCusker J, Cardin S, Bellavance F, Belzile E. Return to the Emergency Department among Elders: Patterns And Predictors. *Acad Emerg Med* 2000;7(3):249-59.
156. Gray L. Geriatric consultation: is there a future? *Age Ageing* 2007;36(1):1-2.
157. UK National Screening Committee. Second report of the UK national screening committee, 2005.
158. Rockwood K, Song X, MacKnight C, Bergman H, Hogan DB, McDowell I, et al. A global clinical measure of fitness and frailty in elderly people. *Cmaj* 2005;173(5):489-95.
159. Department of Health. Urgent and emergency care definition London, 2011.