

Nurse led Early Pregnancy Bleeding Pathway in ED

PV Bleeding in Pregnancy < 16/40

Haemodynamic Status

SBP ≤ 100mmHg Y N

PR ≥ 90 Y N

Size of clot > 3cm (Golf Ball Size) Y N

Fully soaked pad >1 Y N

If No to All questions

Associated Symptoms

RIF /LIF pain Y N

Need analgesia stronger than Co-codamol 8/500 qds Y N

Dizziness/shoulder pain Y N

Any other clinical concern Y N

If No to All questions

High risk of Ectopic Pregnancy

Previous ectopic Y N

Sterilisation Y N

Intrauterine contraceptive device Y N

Previous tubal surgery or damage Y N

History of Chlamydia infection Y N

Fertility treatment Y N

If No to All questions

1) < 12/40 - No bloods

 > 12/40- only Group and Save

2) EPAU advice leaflet

3) ED advice leaflet – Bleeding in Early Pregnancy

4) Refer to EPAU via ICE (under Emergency Care Profile)

5) Patient's contact details checked

Time referred:

PATIENT DETAILS

Date: _____

Name: _____

DOB: _____ Hospital No: _____

LMP: _____ PT: Positive

If Yes to Any question

Inform ED senior staff (Medical & Nursing)

Consider

- 1) Transfer to resuscitation area
- 2) IV Access x 2
- 3) Bloods- FBC & U & Es and Group and Save +/- Cross match 4 units + Rh status
- 4) IV fluids
- 5) Inform Obs and Gynae senior staff
- 6) Consider removing products at the os
- 7) Completion of NVF and consent for disposal of tissue forms by Obs and Gynae team (if required)

(Further information- Trust Early Pregnancy Care Pathways page 39)

If Yes to Any question

Forward for ED Medical Review (Doctor)

Consider Bloods- FBC and U & Es

If Yes to Any question

Refer to Gynaecology SHO/ Reg

Time referred:

.....
Name and signature of nurse

.....
Date and Time